


ACTIVE PROBIOTIC YEAST FOR POULTRY



- Improving growth efficiency and reducing of feed conversion ratio
- Production of strong digestive enzymes
- Reducing the amount of ammonia in breeder halls
- Boosting of immune system
Prevention of gastrointestinal and respiratory diseases



ACTIVE PROBIOTIC YEAST FOR POULTRY



Ingredients:

Saccharomyces Boulardii (3×10^{10} CFU/g)
Dextrose
Maltodextrin

Formulated for:

Broiler chicken	Layer and Breeding Hen	Turkey	ostrich	Small Birds
-----------------	------------------------	--------	---------	-------------

Dosage:

Broilers chicken	During the starting phase 200 g/ton of feed During the growth phase 100 g/ton of feed
Layer and breeder hen	100 g/ton of feed
Turkey	150 g/ton of feed
Ostrich	100 g/ton of feed

Effects of Active Probiotic Yeast on layer and breeder hen and broiler chicken's performance:

- . Increasing of appetite and decreasing of FCR.
- . Increasing of the immune level and improving of the herd health.
- . Reducing contamination and improving of egg shell quality.

Active Probiotic Yeast properties in other birds:

- . Increasing of feed proteins, vitamins and minerals bioavailability by Saccharomyces Boulardii strong digestive enzymes
- . Boosting of immune system
- . Reducing the incidence of bacterial and viral infectious diseases
- . Decreasing occurrence of gastrointestinal diseases
- . Reducing ammonia production in the breeding hall by controlling the activity of proteolytic microorganisms
- . Helps to reduce respiratory diseases by improving the hall air quality

Weight: 1, 5 & 10 Kilogram

Format: water soluble powder

Expiration Date: 12 months after production



Fidar Takapou Bondar Gostar (FidarFeed)

Manufacturing & Trading Co.

Supplying, Manufacturing, and Exporting

High-Quality Prepared Feed, Concentrates and Additives for All Animals

www.fidarfeed.com

Info@fidarfeed.com

+98 935 202 1199

Iran, Fars, Shiraz